

5. CONTENT OF AMENDMENT

- (1) In the specification, page 7, lines 28 - 29:

"an opening portion through which a side surface of the top tape wound on the winding drum is pushed" is amended to "an opening portion through which a side surface of the top tape wound on the winding drum is pushed directly with a finger".

- (2) In the specification, page 8, lines 12 - 24:

"A parts supplying system capable of taking out an electronic parts from a housing portion by releasing a top tape from a carrier tape, while moving the carrier tape which has the housing portion for the electronic parts and a surface of which is covered with the releasable top tape in a longitudinal direction, to wind on a reel member,

wherein the reel member includes

a pair of winding drums detachably attached to a driving shaft that rotates/drives the reel member, having a winding surface on respective outer peripheral surfaces, and divided in two in an axial direction, one part being detachably attached to the driving shaft, and

a guide flange formed on one end face of one winding drum,
whereby the top tape is wound on winding surfaces of the pair of winding drums" is amended to:

"A parts supplying system set forth in (7),

wherein the reel member includes

a pair of winding drums detachably attached to a driving shaft that rotates/drives the reel member, having a winding surface on respective outer

peripheral surfaces, and divided in two in an axial direction, one part being detachably attached to the driving shaft, and

a guide flange formed on one end face of one winding drum, whereby the top tape is wound on winding surfaces of the pair of winding drums."

(3) In the specification, page 8, line 34:

"Therefore, like the case in above (8)," is amended to "Therefore, like the case in above (7),".

(4) In the specification, page 9, lines 5 - 7:

"A parts supplying system set forth in (8), the pair of winding drums have a tapered winding surface whose outer diameter is increased large in a direction that goes away from the guide flange, and an outer diameter of an end face of the other winding drum opposing to the other end face of one winding drum is smaller than an outer diameter of the other end face of one winding drum" is amended to:

"A parts supplying system capable of taking out an electronic parts from a housing portion by releasing a top tape from a carrier tape, while moving the carrier tape which has the housing portion for the electronic parts and a surface of which is covered with the releasable top tape in a longitudinal direction, to wind on a reel member,

wherein the reel member includes

a pair of winding drums detachably attached to a driving shaft that rotates/drives the reel member, having a winding surface on respective outer

peripheral surfaces, and divided in two in an axial direction, one part being detachably attached to the driving shaft, and

a guide flange formed on one end face of one winding drum,
whereby the top tape is wound on winding surfaces of the pair of winding drums,

the pair of winding drums have a tapered winding surface whose outer diameter is increased large in a direction that goes away from the guide flange, and

an outer diameter of an end face of the other winding drum opposing to the other end face of one winding drum is smaller than an outer diameter of the other end face of one winding drum”.

(5) In the specification, page 9, lines 24 - 33:

“A parts supplying system capable of taking out an electronic parts from a housing portion by releasing a top tape from a carrier tape, while moving the carrier tape which has the housing portion for the electronic parts and a surface of which is covered with the releasable top tape in a longitudinal direction, to wind on a reel member,

wherein the reel member includes

a winding drum detachably attached to a driving shaft that rotates/drives the reel member and having a recess portion that is hollowed inwardly in a radial direction in a part of a circumference, and

a guide flange formed on one end face of the winding drum.” is amended to:

“A parts supplying system set forth in Claim 7,